



CUSTOM SHOWERING







Visit MirabelleProducts.com

for full specification sheets, parts breakdown, and installation instructions







TABLE OF CONTENTS

ABOUT MIRABELLE CUSTOM SHOWERING4 – 5

COLLECTIONS

St. Au	gustine	6	- 7
Edento	on	8	- 9
Milazz	o	10 -	- 11
Rigi		12 -	- 13
Boca F	Raton	14 -	- 15
Vilamo	onte	16 -	- 17
Key W	'est	18 -	- 19
Pendle	eton	20 -	- 21
Provin	cetown	22-	- 23

ACCESSORIES & VALVES

Rain Showerheads24 –	25
Shower Accessories 26 –	30
Thermostatic Valves	31
Volume Control Valves	32
Transfer / Diverter Valves	33

TRIM OPTIONS

QUICK REFERENCE	34-35

INSTALLATION	
GUIDELINES	36 – 46
WARRANTY	

Mirabelle Cust

Sensible Sophistication

What happens when you combine beautiful styling, effortless performance, gracious comfort and affordable luxury? The result is sensible sophistication. In a word, you get Mirabelle.

Mirabelle Custom Showering offers the features homeowners desire most, designed in concert with the collections of the full Mirabelle product line and bringing a sophisticated spa-like indulgence to your shower experience.

With the comfort and performance of Mirabelle, you can completely customize a personal spa design with beautiful styling that enhances the look and feel of your master shower. And sensible? Mirabelle Custom Showering is the smart choice for affordable luxury.

Sensible sophistication has arrived for your bath. Think Mirabelle.

Performance

Mirabelle Custom Showering features high performance valves and trims for precision control of the spa experience. High flow thermostatic mixers, volume controls and transfer valves provide for custom design and flexibility of use.

Comfort

Mirabelle makes it easy to create a shower experience that's all your own. Deluxe showerheads, handshowers, and bodysprays can be used individually or in combination. Control what you want and how you want it. Personal comfort is assured.



om Showering

Style

Mirabelle's selection of custom showering products is designed to complement its fixtures and faucets, bathing products, and accessories. Your personal sense of style is rewarded with elements that work together beautifully.

Beauty

Whether your sensibility is clean and modern, romantic and elegant or casual and fun, Mirabelle helps create a beautifully appointed bath that enhances your life and is true to your style. The sophisticated look and feel of a personal spa retreat is yours with Mirabelle Custom Showering.

Ferguson Bath & Kitchen Galleries, and Wolseley Canada Showrooms

Mirabelle Custom Showering is available at all Ferguson Bath & Kitchen Galleries in the U.S., and at Wolseley Canada showroom locations. Our friendly and knowledgeable product experts will help you create the bath or kitchen project that meets your needs, your budget and your taste.

Looking for a truly professional level of service with people who listen and care? Look to the Ferguson Bath & Kitchen Gallery or Wolseley showroom professionals near you.





ST. AUGUSTINE®





MIRSA9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6004 - 1/2" or MIR6006 - 3/4")
- Available in CP, BN & ORB finishes



MIRSH2010E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN & ORB finishes



MIRSA9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6020 - 1/2" or MIR6040 - 3/4")
- Available in CP, BN & ORB finishes





MIRSA9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP, BN & ORB finishes

MIRSA8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN & ORB finishes



EDENTON[®]



MIRED9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6004 1/2" or MIR6006 3/4")
- Available in CP & BN finishes



MIRSH2020E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK80
- Available in CP & BN finishes



MIRED9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6020 - 1/2" or MIR6040 - 3/4")
- Available in CP & BN finishes



MIRED8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP & BN finishes



MIRED9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP & BN finishes



TRIMS



MIRML9009

- Thermostatic Valve Trim Kit
- Cross style metal handle
- Requires rough-in valve
- (MIR6004 1/2" or MIR6006 3/4")
- Available in CP & BN finishes



MIRSH2020E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK80
- Available in CP & BN finishes



MIRML9007

- Volume Control Trim Kit
- Cross style metal handle
- Requires rough-in valve
- (MIR6020 1/2" or MIR6040 3/4") Available in CP & BN finishes



MIRML9005

- Transfer Valve Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR6103 3/4")
- Available in CP & BN finishes



MIRML8010

- Pressure Balanced Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP & BN finishes







MIRRI9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6004 1/2" or MIR6006 3/4") • Available in CP & BN finishes

MIRSH2080E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK81
- Available in CP & BN finishes



MIRRI9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6020 - 1/2" or MIR6040 - 3/4")
- Available in CP & BN finishes



MIRRI9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6103 3/4")
- Available in CP & BN finishes



MIRRI8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP & BN finishes



BOCA RATON®



MIRBR9009

- Thermostatic Valve Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR6004 - 1/2" or MIR6006 - 3/4")
- Available in CP, BN & ORB finishes



MIRSH2030E

- 5 function showerhead (Aeration, Massage, Full Spray, Spray + Massage and Spray + Aeration)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN & ORB finishes



MIRBR9007

- Volume Control Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR6020 - 1/2" or MIR6040 - 3/4")
- Available in CP, BN & ORB finishes



MIRBR8010

- Pressure Balanced Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN & ORB finishes



MIRBR9005

- Transfer Valve Trim Kit
- Cross style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP, BN & ORB finishes



VILAMONTE®



MIRVL9009

- Thermostatic Valve Trim Kit
- Lever style metal handle Requires rough-in valve (MIR6004 - 1/2" or MIR6006 - 3/4")
- Available in CP, BN & ORB finishes



MIRSH2060E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM flow rate
- Required accessory: shower arm MIRSK88
- Available in CP, BN & ORB finishes



MIRVL9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6020 1/2" or MIR6040 3/4")
- Available in CP, BN & ORB finishes





MIRVL9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP, BN & ORB finishes

MIRVL8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN & ORB finishes



KEY WEST®



MIRKW9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6004 - 1/2" or MIR6006 - 3/4")
- Available in CP, BN & ORB finishes



MIRSH2030E

- 5 function showerhead (aeration, massage, full spray, spray + massage and spray + aeration)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN & ORB finishes



MIRKW9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6020 1/2" or MIR6040 3/4") Available in CP, BN & ORB finishes

MIRKW9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP, BN & ORB finishes



MIRKW8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN & ORB finishes



PENDLETON[™]



MIRPT9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6004 - 1/2" or MIR6006 - 3/4")
- Available in CP, BN, ORB & PN finishes



MIRSH2070E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN, ORB & PN finishes



MIRPT9007

- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6020 1/2" or MIR6040 3/4")
- Available in CP, BN, ORB & PN finishes



MIRPT9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR6103 - 3/4")
- Available in CP, BN, ORB & PN finishes



MIRPT8010

- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN, ORB & PN finishes



PROVINCETOWN®



MIRPR9009

- Thermostatic Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6004 1/2" or MIR6006 3/4")
- Available in CP, BN & ORB finishes



MIRSH2040E

- 3 function showerhead (full spray, massage spray and full + massage spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN & ORB finishes



- Volume Control Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6020 1/2" or MIR6040 3/4") • Available in CP, BN & ORB finishes

MIRPR9005

- Transfer Valve Trim Kit
- Lever style metal handle
- Requires rough-in valve
- (MIR6103 3/4")
- Available in CP, BN & ORB finishes



MIRPR8010


- Pressure Balanced Trim Kit
- Lever style metal handle
- Requires rough-in valve (MIR3001)
- Available in CP, BN & ORB finishes



RAIN SHOWERHEADS



RAIN SHOWERHEADS



- 8" single function showerhead
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- Available in CP & BN finishes

MIRRS1025R - 2.5 GPM MIRRS1020R - 2.0 GPM

- 10" single function showerhead
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- Available in CP & BN finishes

MIRRS820S - 2.0 GPM MIRRS825S - 2.5 GPM

- 8" single function showerhead
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- Available in CP & BN finishes

MIRRS1025S - 2.5 GPM MIRRS1020S - 2.0 GPM

- 10" single function showerhead
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- Available in CP & BN finishes



SHOWERHEADS



MIRSH2010E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes



MIRSH2020E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- 2.0 GPM maximum flow rate
- Available in CP & BN finishes



MIRSH2030E

- 5 function showerhead (aeration, massage, full spray, spray + massage and spray + aeration)
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes



MIRSH2040E

- 3 function showerhead
- (full spray, massage spray and full + massage spray) Easy clean rubber nozzles
- Lasy clean hubber hozzles
 1/2" NPT brass ball joint connection
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes

VALVES

∞

ACCESSORIES



MIRSH2060E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Requires MIRSK88 shower arm
- Available in CP, BN & ORB finishes



MIRSH2070E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Required accessory: shower arm kit MIRSK85
- Available in CP, BN, ORB & PN finishes



MIRSH2080E

- Single function showerhead (full spray)
- Easy clean rubber nozzles
- 1/2" NPT brass ball joint connection
- 2.0 GPM maximum flow rate
- Available in CP & BN finishes

HANDSHOWERS



MIRHS4010E

- 5 function handshower (full spray, massage spray, aerated spray, full + massage spray and full + aerated spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes



MIRHS4030E

- Single function handshower (full spray)
- Easy clean nozzles
- 2.0 GPM maximum flow rate
- Available in CP & BN finishes



MIRHS4060E

- Single function handshower (full spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes



MIRHS4020E

- 5 function handshower (full spray, massage spray, aerated spray, full + massage spray and full + aerated spray)
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Available in CP, BN, ORB & PN finishes



ഗ

ACCESSORIES & VALVES

SHOWER ARMS

MOUNTING ACCESSORIES

MIRSK80

- Solid brass construction
- 8" length 45 degree shower arm with flange
- Available in CP & BN finishes



MIRWB2010

 Adjustable wall mount bracket
 Available in CP, BN, ORB & PN finishes



Available in CP & BN finishes



- Solid brass construction
 8" length 45 degree shower arm with flange
- Available in CP, BN, ORB & PN finishes



MIRSK88

- With 1/2"-CTS connector
- Required accessory: showerhead MIRSH2060
- Available in CP, BN & ORB finishes



- Shower arm mount for handshower
- Available in CP, BN & ORB finishes



MIRWE2040

- Wall elbow
- Available in CP, BN, ORB & PN finishes

MIRABELLE® CUSTOM SHOWERING

SLIDE BARS

MIRSB3010

- 30" slide bar for handshower
- Angle of handshower holder is adjustable
- Available in CP, BN, ORB & PN finishes

BODY SPRAYS



MIRSB3020

- 30" slide bar for handshower
- Angle of handshower holder is adjustable
- Available in CP, BN & ORB finishes

MIRBS5040E

- Adjustable swivel angle
- Easy clean rubber nozzles
- 2.0 GPM maximum flow rate
- Available in CP, BN & ORB finishes (PN available for MIRBS5010 only)

SHOWER HOSES



MIRH1010

- ∎ 60" length
- Double spiral stretchable construction
- Available in CP, BN, ORB & PN finishes



MIRH1020

- 59" length
- Smooth hose
- Available in CP & BN finishes

THERMOSTATIC VALVES



MIR6004

- Heavy duty bronze valve body for long reliable service
- High performance thermostatic cartridge for precise temperature control
- 1/2" FIP water connections 3/4" FIP model available MIR6006
- 11.35 GPM @ 60 PSI
- Integral mounting bracket
- Fits Mirabelle Custom Showering 9009 series trims 7 styles in 3 finishes
- High flow design for multiple showering functions
- Factory comfort setting of 104 degrees
- Built in high temperature limit design
- Integral service stops and check valves
- Includes optional bottom port for tub spout only installations
- Requires an MIR6234 twin ell for tub diverter spout installations
- Requires Mirabelle Custom Showering volume control valve 6020 or 6040 series
- Mirabelle Custom Showering 6 way transfer diverter and trims available
- Mirabelle Custom Showering accessories complete the system
- All valves are fully water tested at factory
- Deep rough in extension available MIR6004EXT
- Replacement cartridge available MIR6004CRT
- ASSE 1016-T and cUPC approved
- Limited lifetime warranty for residential installations
- Service parts available
- Must be installed in accordance with provided installation instructions



- Heavy duty bronze valve body for long reliable service
- High performance thermostatic cartridge for precise temperature control
- 3/4" FIP water connections 1/2" FIP model available MIR6004
- 16.11 GPM @ 60 PSI
- Integral mounting bracket
- Fits Mirabelle Custom Showering 9009 series trims 7 styles in 3 finishes
- High flow design for multiple showering functions
- Factory comfort setting of 104 degrees
- Built in high temperature limit design
- Integral service stops and check valves
- Includes optional bottom port for tub spout only installations
- Requires an MIR6234 twin ell for tub diverter spout installations
- Requires Mirabelle Custom Showering volume control valve 6020 or 6040 series
- Mirabelle Custom Showering 6 way transfer diverter and trims available
- Mirabelle Custom Showering accessories complete the system
- All valves are fully water tested at factory
- Deep rough in extension available MIR6004EXT
- Replacement cartridge available MIR6004CRT
- ASSE 1016-T and cUPC approved
- Limited lifetime warranty for residential installations
- Service parts available
- Must be installed in accordance with provided installation instructions

VOLUME CONTROL VALVES

S



MIR6020

- Heavy duty bronze valve body for long reliable service
- High performance ceramic disc cartridge for precise volume control
- 1/2" FIP water connections 3/4" FIP model available MIR6040
- Fits Mirabelle Custom Showering 9007 series trims 7 styles in 3 finishes
- High flow design for multiple showering functions
- Requires Mirabelle Custom Showering thermostatic control valve 6004 or 6006 series
- Mirabelle Custom Showering 6 way transfer diverter and trims available
- Mirabelle Custom Showering accessories complete the system
- All valves are fully water tested at factory
- Deep rough in extension available MIR6020EXT
- Replacement cartridge available MIR6020CRT
- cUPC approved
- Limited lifetime warranty for residential installations
- Service parts available
- Must be installed in accordance with provided installation instructions



- Heavy duty bronze valve body for long reliable service
- High performance ceramic disc cartridge for precise volume control
- 3/4" FIP water connections 1/2" FIP model available MIR6020
- Fits Mirabelle Custom Showering 9007 series trims 7 styles in 3 finishes
- High flow design for multiple showering functions
- Requires Mirabelle Custom Showering thermostatic control valve 6004 or 6006 series
- Mirabelle Custom Showering 6 way transfer diverter and trims available
- Mirabelle Custom Showering accessories complete the system
- All valves are fully water tested at factory
- Deep rough in extension available MIR6020EXT
- Replacement cartridge available MIR6040CRT
- cUPC approved
- Limited lifetime warranty for residential installations
- Service parts available
- Must be installed in accordance with provided installation instructions

TRANSFER / DIVERTER VALVE



- Heavy duty brass valve body for long reliable service
- High performance ceramic cartridge for precise directional control
- 3/4" FIP water connections
- Fits Mirabelle Custom Showering 9005 series trims 7 styles in 3 finishes
- High flow design for multiple showering functions
- 6 way diverter design 3 independent and 3 shared settings
- Optional 3 way cartridge MIR6110 3 distinct independent settings with shared flow between settings
- Optional CALGreen cartridge MIR6150 3 distinct independent settings and no shared flow between settings
- Follow installation instructions regarding unused ports
- Uses Mirabelle Custom Showering thermostatic control valve
- Mirabelle Custom Showering volume control valve and trims available
- Mirabelle Custom Showering showering accessories complete the system
- All valves are fully water tested at factory
- Deep rough in extension available MIR6101EXT
- Replacement cartridge available MIR6180
- cUPC approved
- Limited lifetime warranty for residential installations
- Service parts available
- Must be installed in accordance with provided installation instructions

TRIM OPTIONS

Nine collections to choose from and each available with thermostatic, volume, and transfer valve trim options

VALVE	STYLE	ST. AUGUSTINE Available in CP, BN or ORB	EDENTON Available in CP or BN	MILAZZO Available in CP or BN	RIGI Available in CP and BN
THER	MOSTATIC	MIRSA9009	MIRED9009	MIRML9009	MIRRI9009
1/2"	MIR6004				
3/4"	MIR6006	G	F		
EXT	MIR6004EXT	· ·	-		
VOLUM	E CONTROL	MIRSA9007	MIRED9007	MIRML9007	MIRRI9007
1/2"	MIR6020				
3/4"	MIR6040		9		
EXT	MIR6020EXT	·			
TRANSFE	ER DIVERTER	MIRSA9005	MIRED9005	MIRML9005	MIRRI9005
3/4"	MIR6103				
EXT	MIR6101EXT				
VALVE AG (for all o	CCESSORIES collections)	ESSORIES 3 WAY TRANS CARTRIDGE lections) MIR6101		CAL GREEN TRANSFE	R CARTRIDGE MIR6150


		Available in CP, BN or ORB	Available in CP, BN, ORB or PN	Available in CP, BN or ORB
MIRBR9009	MIRVL9009	MIRKW9009	MIRPT9009	MIRPR9009
MIRBR9007	MIRVL9007	MIRKW9007	MIRPT9007	MIRPR9007
MIRBR9005	MIRVL9005	MIRKW9005	MIRPT9005	MIRPR9005
			(0	

INSTALLATION GUIDELINES


Mirabelle Custom Showering gives you the ability to create your own spa-like experience in the comfort of your home. Handshowers, multiple showerheads, and bodysprays can be married together to create the ideal shower experience.


Many things must be considered when designing and installing a thermostatic custom shower system. The water pressure of the bathroom, the size of the hot water source (water heater), the size of the shower drain, and the size of the water supply lines are just a few things that need to be considered by the owner and installing contractor in order for the shower system to produce optimal performance.


The following pages offer some standard layout designs to help assist in design creation.




6-WAY TRANSFER VALVE MIR6103







water flow from outlet 1



water flow from outlet 2

water flow from outlet 2 & 3

water flow from outlet 3


water flow from outlet 1 & 3


Note: Valve comes standard with 6-way cartridge. Each setting has a distinct position.


Outlets Supported	Component	2 Components	5 Components	6 Components
45 psi	•	•		
50 psi	•	•	•	
60 psi	•	•	•	٠
70 psi	•	•	•	•

Operating water pressure required per number of components. Components based on 2.5GPM each.

3-WAY CARTRIDGE MIR6110








water flow from outlet 1

water flow from outlet 2

water flow from outlet 3


Note: The MIR6110 is an OPTIONAL cartridge. Flow is shared between 3 distinct positions.

CALGREEN CARTRIDGE MIR6150




Note: The MIR6150 is an OPTIONAL cartridge. Flow is **NOT** shared between 3 distinct positions.


Thermostatic Valve with Volume Control and Transfer Valve with 3 Outlets




Thermostatic Valve with Volume Control and Transfer Valve with 2 Outlets



Thermostatic Valve with Volume Control and Transfer Valve with 2 Outlets




Thermostatic Valve with Volume Control and Transfer Valve with 2 Outlets




Arrow on volume control valve should Body sprays: always point in A pressure-balancing loop must direction of flow. always be used with body sprays to allow for equal supply of water to each spray. Cap the unused tub outlet port. hot water inletcold water inlet

Thermostatic Valve with Multiple Volume Controls

Thermostatic Valve with Multiple Volume Controls






Pressure Balanced Valve with Transfer Valve and 2 Outlets

NOTE: Always add up the total maximum flow of all outlets and ensure that total potential flow does not exceed any valves flow rating. Check with state and local codes for maximum system GPM flow rates allowed.

Pressure Balanced Valve with Transfer Valve, 2 Outlets and Tub Spout



CONSUMER LIMITED LIFETIME WARRANTY

Industrial / Commercial Limited 5-Year Warranty

WHAT IS COVERED?

Mirabelle warrants to the ORIGINAL CONSUMER PURCHASER that its faucets (except as explained under paragraph 3, below) shall be free from defects in material and workmanship under normal use and service FOR SO LONG AS THE FAUCET IS USED IN ITS ORIGINAL RESIDENTIAL INSTALLATION. If the faucet is used in industrial, commercial or business applications, the preceding sentence does not apply, but rather FOR ALL INDUSTRIAL, COMMERCIAL OR BUSINESS APPLICATIONS, THE WARRANTY SHALL BE A FIVE (5) YEAR LIMITED WARRANTY FROM THE DATE OF PURCHASE WITH ALL OTHER TERMS AND EXCLUSIONS OF THE WARRANTY APPLICABLE. This consumer warranty and this industrial/commercial/business warranty is applicable only to faucets purchased on or after June 1, 2003, starting on the date on the proof of purchase. For faucets purchased before June 1, 2003, the Mirabelle one-year limited warranty will apply.

COMPANY'S OBLIGATIONS

The Company's obligations under the warranty set forth in paragraph 1 above shall be to replace free of charge any MIRABELLE faucet or component which is defective as stated above, or at the option of Mirabelle, to either refund the purchase price or repair the faucet. THE WARRANTY SET FORTH IN PARAGRAPH 1 IS IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, AND SHALL RUN TO THE ORIGINAL PURCHASER ONLY.

WHAT IS NOT COVERED?

The warranty set forth in paragraph 1 does not cover and Mirabelle is not liable for, installation or any other labor charges or products which have been damaged as a result of any accident, misuse, abuse, neglect, improper installation or maintenance, the use of abrasive or organic solvent cleaners, modification, failure to use the faucet in accordance with instructions provided by Mirabelle or use of parts other than Mirabelle parts.

HOW TO OBTAIN WARRANTY SERVICE

US Customers:

The purchaser should contact their local Ferguson location, installing contractor or builder from whom the product was purchased. To find your nearest Ferguson location please visit www.ferguson.com and enter in your address into the Find a Location field.

Canadian Customers:

The purchaser should contact their local Wolseley Canada location, installing contractor or builder from whom the product was purchased. To find your nearest Wolseley Canada location please visit www.wolseleyinc.ca, then click on Find a Location and enter in your address into the location field.

DISCLAIMER OF CONSEQUENTIAL OR INCIDENTAL DAMAGES AND OTHER WARRANTIES

MIRABELLE SHALL NOT BE LIABLE FOR PERSONAL INJURY OR PROPERTY DAMAGE OR ANY CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES. EXCEPT AS STATED IN PARAGRAPH 1, MIRABELLE DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. MIRABELLE LIABILITY, IF ANY, SHALL NOT EXCEED THE REPLACEMENT VALUE OF THE DEFECTIVE FAUCET. Some states do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

Mirabelle is a registered trademark of Ferguson Enterprises, Inc.

Distributed Exclusively by Ferguson and Wolseley Canada

Nirabelle

Cet.

PL-MIR-850 192923 0616

CUSTOM SHOWERING

MirabelleProducts.com

© 2016 Ferguson Enterprises, Inc.

Distributed Exclusively by Ferguson Enterprises, Inc. & Wolseley Canada